


Ethanol Production Pumps



Experience In Motion





The Most Trusted in the Industry

Flowserve has been successfully providing equipment for the corn processing and ethanol production industry for more than 35 years. Its reputation is built upon superior pump design, unequaled materials expertise and field-proven performance.

Ethanol Pumping Expertise

- Mash
- Evaporation
- · Beer bottoms
- Final ethanol
- Acid wash
- Gasoline
- Boiler feed
- CIP
- · Cooling water
- Sump
- Milling/steeping

Superior Product Design

With ideal design features for abrasive and corrosive services, Flowserve ANSI and ISO process pumps are the global workhorses of ethanol production.

- Mark 3 ANSI reverse vane impeller transfers erosion/corrosion from casing to less expensive rear cover; repeatable "as new" performance after wear and impeller adjustment; low NPSHR
- CPX ISO precision cast semi-open impeller delivers high efficiency, low NPSHR
- Tapered bore seal chamber with flow modifiers permits less costly sealing arrangement due to self-venting and solids-handling capabilities
- · Heavy-duty power end with lifetime warranty gives full protection during hose down
- Reinforced baseplate options

- · Fermentation/beer
- Process condensate
- · Product

Materials Expertise


Many ethanol production pump users standardize on ASTM A995, grade CD4MCuN. Invented by Flowserve, this duplex stainless steel has a hardness approximately three times that of austenitic stainless steels. It also has greater pitting and crevice corrosion resistance compared with other duplex stainless steels or 316SS.

Other materials include:

- ASTM A995, grade CD4MCuN with hard coating
- CR29 hard chrome cast iron (>500 Brinell)
- ASTM A744, grade CN7M (Alloy 20)
- ASTM A744, grade CF8M (316SS)
- ASTM A395, grade 60-40-18 (DCI)
- Fluoropolymer

In addition to standard shaft materials. Flowserve offers two highly corrosion and abrasion resistant proprietary alloys. These include:

- DC8, a cobalt-based alloy with appreciable amounts of chromium and molybdenum
- SD77 high silicon iron



Industry Leading Ethanol Production Pumps

- Starch Conversion
- Fermentation
- Distillation
- Storage
- Stillage Handling

Standard Process Pumps

Mark 3 (ANSI B73.1), CPX (ISO 2858/5199)

- 🕨 🔵 🗨 🔵 🚽 Standard
 - COMPARESSED impeller
 - ●●● − Self-priming
 - Dynamically sealed

Fluoropolymer Lined Pumps

● ○ ○ − PolyChem[™] S-Series (ANSI B73.1 and ISO 2858)

Heavy-duty (Stock) Pumps

- ●●● FRBH
- ● – Mark 3, Group 3 and 4

Sealless Pumps

- Magnetic drive-metallic

 Guardian[®] (ANSI B73.1)
 CPXS (ISO 2858/5199)


 Magnetic drive-fluoropolymer lined
 - PolyChem M-Series (ANSI B73.1 and ISO 2858)

Cooling Water and Sump Pumps

- OOO VTP vertical turbine
- OOO LR and LNN axially split, single stage
 - ● ● − Standard and cantilever sump pumps
- ○ ○ − MDX vertical submersible, formed SS


Boiler Feed Pumps

• • • • • - Radially split, multistage ring section



<u>3</u>

FLOWSERVE



Bulletin FPD-14[†] (E/A4) Printed in USA. August 2006. © Flowserve Corporation

To find your local Flowserve representative:

For more information about Flowserve Corporation, visit www.flowserve.com or call USA 1 800 728 PUMP (7867)

USA and Canada

Flowserve Corporation 5215 North O'Connor Blvd. Suite 2300 Irving, Texas 75039-5421 USA Telephone: 1 972 443 6500 Telefax: 1 972 443 6800

Europe, Middle East, Africa

Flowserve Corporation Via Rossini 90/92 20033 Desio (Milan), Italy Telephone: 39 0362 6121 Telefax: 39 0362 303396

Latin America and Caribbean

Flowserve Corporation 6840 Wynnwood Lane Houston, Texas 77008 USA Telephone: 1 713 803 4434 Telefax: 1 713 803 4497

Asia Pacific

Flowserve Pte. Ltd. 200 Pandan Loop #06-03/04 Pantech 21 Singapore 128388 Telephone: 65 6775 3003 Telefax: 65 6779 4607

flowserve.com